

Amgrow Chemspray Clear White Oil**Section 1 - Identification of Chemical Product and Company**

Envirogreen Pty Ltd
PO Box 6390
Silverwater NSW 1811

Phone: (02) 9395 1200 (Business hours)
Fax: (02) 9395 1241

Trade Name: Amgrow Chemspray Clear White Oil Insecticide
Product Use: Insecticide
Creation Date: Jan 2005
Revision Date: May 2008

Section 2 - Hazards Identification**Statement of Hazardous Nature**

This product is **not** classified as hazardous according to the criteria of ASCC Australia.

SUSDP Classification: S5

ADG Classification: None allocated. Not a Dangerous Good.

UN Number: None allocated

Emergency Overview

Physical Description & colour: Clear colourless liquid

Odour: No odour

Major Health Hazards: No significant risk factors have been found for this product.

Potential Health Effects

Inhalation: Breathing in mists or aerosols may produce respiratory irritation.

Skin Contact: Contact with skin may result in irritation. Will have a degreasing action on the skin. Repeated or prolonged skin contact may lead to irritant contact dermatitis.

Eye Contact: This product may irritate eyes. However, it is unlikely to cause any more than mild transient discomfort. It is also unlikely to cause any significant lasting effects.

Ingestion: No adverse effects expected, however, large amounts may cause nausea and vomiting. Breathing in vomit may lead to aspiration pneumonia (inflammation of the lung).

Carcinogen Status:

ASCC: No significant ingredient is classified as carcinogenic by ASCC.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
Petroleum Oil	-	>95%	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Eyebaths or eyewash stations and safety deluge showers should be provided where this product is being used.

Inhalation: No first aid measures normally required. However, if vapours or mists have been inhaled, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: If product gets on skin, wash skin to remove material. No further measures should normally be required.

Eye Contact: Flush the contaminated eye(s) with lukewarm, gently flowing water until the product is removed or until irritation has ceased, while holding the eyelid(s) open. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

First aid is not generally required. If in doubt contact a Poisons Information Centre or a doctor.

Advice to Doctor: Treat symptomatically. Note the nature of this product. Aspiration can result in pulmonary oedema.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Fire decomposition products from this product may form toxic mixtures in confined spaces. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Extinguishing Media: Carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: 200°C approx

Upper Flammability Limit: no data

Lower Flammability Limit: no data

Auto ignition temperature: no data

Flammability Class: C2 combustible liquid

Decomposition Products: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

Section 6 - Accidental Release Measures

Accidental release: Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area, preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Ensure legality of disposal by consulting regulations prior to disposal. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Dispose of only in accord with all regulations.

Section 7 - Handling and Storage

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those

MATERIAL SAFETY DATA SHEET

measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Store away from foodstuffs. Keep containers closed when not in use - check regularly for leaks.. This product is a S5 Poison. Observe all relevant regulations regarding sale, transport and storage of this class of product. Make sure that the product does not come into contact with substances listed under "Materials to avoid" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

Exposure Limits	TWA (mg/m ³)	STEL (mg/m ³)	ADI (mg/Kg/day)	NOEL (mg/Kg/day)
Oil mist, refined mineral	5	not set	not set	not set

The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. A TWA has not been established by Worksafe Australia for any of the major ingredients in this product. There is a blanket limit of 10mg/m³ for dusts or mists when limits have not otherwise been established. The nature of this product makes it unlikely that this level will be approached in normal use. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, Dec 2003.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

Eye Protection: Protective eyewear is not normally necessary when using this product. However, it is always prudent to use protective eyewear.

Skin Protection: This product is essentially safe to use without special protective clothing. However, its use is recommended as a good industrial practice.

Protective Material Types: There is no specific recommendation for any particular protective material type. Consult AS2919 for advice on Industrial Clothing.

Respirator: It is usually safe to not use a dust mask or respirator protection on account of this product. However, if the product is being used in dusty or confined conditions, use of a mask or respirator may be preferred

Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Clear Colourless liquid
Odour:	No odour
Boiling Point:	250°C approx
Melting Point:	No data, liquid at room temperatures
Flash Point:	200°C approx
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	n/a
Vapour Density:	No data.
Specific Gravity:	0.84
Water Solubility:	Miscible
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Auto ignition temp:	No data
Corrosiveness:	not corrosive

MATERIAL SAFETY DATA SHEET

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions.

Conditions to Avoid: Heat, flames, ignition sources and incompatibles

Incompatibilities: Oxidizing agents

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

Polymerisation: This product is unlikely to undergo polymerisation processes.

Section 11 - Toxicological Information

No LD50 data available for the product. For Petroleum oil:

Oral LD50 (rat) : >15000 mg/kg

Dermal LD50 (rabbit) : >5000 mg/kg

Section 12 - Ecological Information

Aquatic Toxicity: Avoid contaminating waterways.

Section 13 - Disposal Considerations

Disposal: Normally suitable for disposal at approved land waste site. Instructions for the disposal of containers is found on the product label.

Section 14 - Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are to be found in the public AICS Database. Petroleum Oil is mentioned in the SUSDP.

Section 16 - Other Information

This MSDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail
AICS	Australian Inventory of Chemical Substances
ASCC	National Occupational Health and Safety Commission
CAS number	Chemical Abstracts Service Registry Number
Hazchem Number	Emergency action code of numbers and letters that provide information to emergency services especially fire-fighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSDP	Standard for the Uniform Scheduling of Drugs & Poisons
UN Number	United Nations Number

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This MSDS is prepared in accord with the ASCC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [ASCC:2011(2003)] © Envirogreen Pty Ltd May 2008

MATERIAL SAFETY DATA SHEET