

HOW TO USE:

SITUATION:

Established Couch, Bent, Kikuyu, Paspalum, Buffalo, Fescue, Rye Lawns and Turf

WEEDS CONTROLLED:

Bindii (Jo-Jo), Catsear, Clover (not Tas.), Creeping Oxalis, Cudweed, Dandelion, Plantain, Thistles

MIXING RATE:

SPRAYER 30 mL per 5-10 L of water per 50 m²

WATERING CAN 30 mL per 10-20 L of water per 50 m²

HOW TO APPLY:

Apply evenly over the area to be treated. Do not mow for 2-7 days after treatment. Slight browning of grass may occur under hot conditions. More than one application may be required for clover control.



BIN-DE SELECTIVE LAWN WEEDER













Amgrow

Available at all good Home Garden retailers
Amgrow
Free call 1800 264 769
www.amgrow.com.au

Effective Weed Contro/ in Buffalo Lawns

BIN-DIE

SELECTIVE LAWN WEEDER

For the control of Bindii & other weeds in Buffalo & other lawns

- Kills Bindii, clover and other broadleaf weeds
- Use on most lawns INCLUDING BUFFALO
- Contains contact and systemic herbicides
 - Now available in easy to use hose on



Because your plants deserve the best

Freecall 1800 AMGROW www.amgrow.com.au


How to use / Helpful Hints

100 mL concentrate will cover over 160 sgm 250mL Concentrate will cover over 400 sqm 500mL concemtrate will cover over 800 sgm

• Bin-Die Concentrate can be applied by sprayer or watering can (preferably with a sprinkler bar). However using a sprayer is more effective due to the better coverage of the leaf with the finer droplets of a spray. It is important to measure the lawn to ensure that the correct amount is applied. The exact quantity of water is not critical, as long as the coverage of 30mL over every 50 square metres treated is achieved.

If using a watering can, the amount of Bin-Die used must be adjusted to correspond with the actual area covered. Most watering cans will only cover approximately 5 square metres, in which case 3mL of Bin-Die should be used. metres A

Bin-Die Hose-On does not need dilution - just click on the hose and ensure that it is sprayed over 200 square metres. If the area is smaller use correspondingly less of the hose-on.



A second application may be necessary about 3-4 weeks after the first if weeds are well established.

- Do not exceed the recommended application rate, or damage to lawn may result.
- Bin-Die should be applied in late winter (July/August) for optimum control of bindii while still young, prior to seedheads formation.

Hard to control weeds such as clover often need a follow up spray. This can be due to residual seeds in the lawn or parts of the root systems not fully killed off. Bindii are also hard to control as some weed seeds in lawn can last up to 5 years. The key is to treat them before they flower and set seed so that numbers are reduced.

O4A

How does it work?

The chemical in Bin-Die breaks down the sugars that the weeds produce thus disrupting the photosynthesis production in the plant (the way the plant produces food and energy to live). The weed then has to use energy reserves in order to survive because it cannot replace this energy due to the interruption of the photosynthesis process, thus burning it's self out in the process.

Whatprecautionsshouldtakewhenusingweedkillersfor thesafetvofchildren?

Ensure that children are out of the area while spraying and only allowed back into the garden when the weed killer has dried.

Howmuchtimeaftersprayingshouldelapse,beforerainor watering?

A better result is achieved if at least a full day passes without rain or watering.

Howsoonbeforeoraftersprayingcanlmowmylawn?

Do not mow for at least 3 days before spraying so that the maximum leaf area is available for the weed killer to work on. Also when the grass is mown it exposes a cut area which can result in burning if herbicide is used straight away. After spraying, leave for at least 2 days, more if possible, to allow the herbicide to be carried around the weed.



When can I let my dog or cat back into the garden after using a weed killer?

Keep your pets out of the way while spraying. Once the weed killer has dried on the grass or sprayed area, it is then safe to let the pet back onto the area.

What about safety for rabbits, guinea pigs, chooks and other grazing animals?

It is recommended that grazing animals and chooks be kept off lawns for 2 weeks after treatment with herbicides.

Bin-Die has been formulated specially so that it can be used on most lawns including Buffalo. Some varieties of Soft Leaf Buffalo may be sensitive to herbicide use, so always test a small area before full scale use.

> **Bin-Die** can be used throughout spring and autumn to control bindii and a wide range of other nuisance weeds.

Also available in a Hose-On

It is easy to use. Simply click onto hose. turn on tap and apply over area specified.

