



# Citrus & Fruit Spray

Amgrow Citrus & Fruit Spray Insecticide controls various scales, mites, mealy bugs, leafminers, whiteflies and aphids.

**HOW TO PREPARE:** SHAKE WELL BEFORE USE.

Keep the spray agitated (i.e. shake at regular intervals). Thoroughly wet the leaves until runoff.

SITUATION	PESTS	HOW TO APPLY
Citrus	Citrus Leafminer	Spray every 5 to 14 days as required during flush growth periods. (Spraying is more likely to be required in Summer and Autumn). Start spraying when flushes are about 4cm long. Ensure that all immature leaves are thoroughly wetted on both sides. Do not spray more than 8 times per season.
	Red Scale	Apply in December and/or February – March
	White Wax Scale, Pink Wax Scale	Apply December/early January
	Black Scale	Apply mid December/early January. Repeat in February.
	Soft Brown Scale	Apply January/April. Use higher rate (TAS & WA) when infestation is severe.
Grapes	Grapevine Scale	May be controlled by spraying the dormant vines in winter, preferably after pruning.
Roses, Indoor and Outdoor Ornamentals	Scale, Aphid, Whitefly (NOT QLD), Mealy bugs	Apply as required.
Stone Fruit (eg. Peaches, Plums, Apricots) and Pome Fruit (eg. Apples, Pears)	San Jose Scale, Oyster Shell Scale, Spider Mites	Apply during dormant period up to green tip (Pome fruit) or bud swell (Stone fruit).

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.  
DO NOT PICK VEGETABLES FOR 1 DAY AFTER SPRAYING.

**CAUTION:** DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds.

**STORAGE AND DISPOSAL:** Store in the closed original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

**FIRST AID:** If poisoning occurs, contact a Doctor or Poisons Information Centre, Phone Australia 13 11 26. If swallowed, DO NOT induce vomiting. Give a glass of water

APVMA Approval Number: 69379 / 105405

Batch No:                      Date of Manufacture:



Amgrow Pty Ltd ABN 81 100 684 786  
82 Christensen Road, Staylton Qld 4207  
Customer Service Number 1800 063 619  
[www.amgrow.com.au](http://www.amgrow.com.au)

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN



# Citrus & Fruit Spray

ACTIVE CONSTITUENTS: 19.46 g/L PARAFFIN OIL

For the control of various scales, mites, mealy bugs, leafminers, whiteflies and aphids in situations as per the How to Use table.

SHAKE WELL BEFORE USE

Contents  
750mL



Scales



Mites



Mealy bugs



Leafminers



Whiteflies



Aphids

Job Name:	Citrus & Fruit Spray 750ml		
Client:	Amgrow		
DBG Job No.:	75680	Date:	19.09.2017
Item Code:	N/A	Package Code:	
Proof No.:	4		
Dimensions:	100 W x 125 H mm		

Colours:



CMYK



PMS 485



PMS 3435



PMS 376



PMS 349

**PLEASE EXAMINE THIS PROOF CAREFULLY**

Whilst all care and attention is taken when preparing your design, it is requested you check all details carefully. It is the responsibility of the client to ensure that all details shown are correct and ready for production. The client is responsible for any errors in the design, which are not corrected by the client, before the design is completed. **This is a proof, the colours and screen densities used in the proofing process provide a representation only, the final colour(s) may vary from this proof.**



4/106 Grose street, Parramatta NSW 2150  
PO Box 3126 North Parramatta NSW 1750  
Ph: 02 9630 1733 Fax: 02 9630 1930  
[info@dbggraphics.com.au](http://info@dbggraphics.com.au)

[www.dbggraphics.com.au](http://www.dbggraphics.com.au)



# Citrus & Fruit Spray

Amgrow Citrus & Fruit Spray Insecticide controls various scales, mites, mealy bugs, leafminers, whiteflies and aphids.

**HOW TO PREPARE:** SHAKE WELL BEFORE USE.

Keep the spray agitated (i.e. shake at regular intervals). Thoroughly wet the leaves until runoff.

SITUATION	PESTS	HOW TO APPLY
Citrus	Citrus Leafminer	Spray every 5 to 14 days as required during flush growth periods. (Spraying is more likely to be required in Summer and Autumn). Start spraying when flushes are about 4cm long. Ensure that all immature leaves are thoroughly wetted on both sides. Do not spray more than 8 times per season.
	Red Scale	Apply in December and/or February – March
	White Wax Scale, Pink Wax Scale	Apply December/early January
	Black Scale	Apply mid December/early January. Repeat in February.
Grapes	Soft Brown Scale	Apply January//April. Use higher rate (TAS & WA) when infestation is severe.
	Grapevine Scale	May be controlled by spraying the dormant vines in winter, preferably after pruning.
	Roses, Indoor and Outdoor Ornamentals	Scale, Aphid, Whitefly (NOT QLD), Mealy bugs
Stone Fruit (e.g. Peaches, Plums, Apricots) and Pome Fruit (e.g. Apples, Pears)	San Jose Scale, Oyster Shell Scale, Spider Mites	Apply during dormant period up to green tip (Pome fruit) or bud swell (Stone fruit).

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.  
DO NOT PICK VEGETABLES FOR 1 DAY AFTER SPRAYING.

**CAUTION:** DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds.

**STORAGE AND DISPOSAL:** Store in the closed original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

**FIRST AID:** If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed, DO NOT induce vomiting. Give a glass of water



Amgrow Pty Ltd. BN 81 100 684 786  
82 Christensen Road, Stapylton Qld 4207  
Customer Service Number 1800 063 619  
www.amgrow.com.au

APVMA Approval Number: 69379 / 105405

Batch No:                      Date of Manufacture:

## CAUTION

KEEP OUT OF REACH OF CHILDREN



# Citrus & Fruit Spray

ACTIVE CONSTITUENTS: 19.46 g/L PARAFFIN OIL

For the control of various scales, mites, mealy bugs, leafminers, whiteflies and aphids in situations as per the How to Use table.

SHAKE WELL BEFORE USE

Contents  
750mL



Scales



Mites



Mealy bugs



Leafminers



Whiteflies



Aphids