

**HOW TO USE:** DO NOT mow lawn for at least 3 days before or following spray application. DO NOT apply if rain is expected within 8 hours. DO NOT apply to Lippia, Strawberry clover, Buffalo or Saltene (Paspalum notatum) lawns. The enclosed measure holds 5mL.

**MULTIWEED**  
ALL PURPOSE LAWN WEEDER

**WEED CONTROL**

**Amgrow**  
Chemspray

SITUATION	WEEDS CONTROLLED	RATE	HOW TO APPLY
Lawns and turf such as Couch, Blue Couch, Fescue, Carpet, Centipede, Kentucky Blue and Ryegrass.	Mullumbimby couch, Creeping Oxalis, Bindii (dwarf jo-jo), Sowthistle, Dandelion, Flatweeds, Carpet, Cudweed, Fleabane, Dook, Chickweed, Clover and Lambs Tongue	<b>Spray:</b> 20 mL in 2 L water over 10m <sup>2</sup> . <b>Watering Can:</b> 20 mL in 6 L water over 10m <sup>2</sup> . <b>Spot Spray:</b> 6 mL in 1 L water and wet weeds thoroughly.	Spray annual weeds when young and vigorous and perennial weeds just prior to flowering when soil is moist. Thoroughly wet foliage and avoid excess runoff. Repeat applications 3 to 4 weeks after initial spraying if necessary. To avoid damage to lawns/turf, use only at recommended rates and do not exceed 2 sprayings within 3 to 4 weeks. Note: for effective control of Mullumbimby couch, spray in warmer months, when weeds are actively growing.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.**

**HOW TO PREPARE:** This product mixes readily in hard or soft water. Spray equipment should be thoroughly rinsed with cold water and washed with warm soapy water.

**CAUTION:** DO NOT allow spray to contact or drift onto plants you do not want killed. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT feed treated grass clippings to livestock or poultry.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

**SAFETY DIRECTIONS:** Harmful if absorbed by skin contact or inhaled or swallowed. Will irritate the eyes and skin. Do not inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID:** If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 131126.

APVMA Approval No.: 60434/250mL/0206

Batch No.: D.O.M.



**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS

**Amgrow**  
Chemspray

**WEED CONTROL**

**MULTIWEED**  
ALL PURPOSE LAWN WEEDER

**ACTIVE CONSTITUENTS:**  
192 g/L BENTAZONE present as sodium salt  
112 g/L MCPA present as dimethylamine salt  
19 g/L DICAMBA present as dimethylamine salt

**Controls Mullumbimby Couch  
& many Broadleaf Weeds  
in Home Garden Lawns**

**Contents 250mL**

**Amgrow**  
Chemspray

**MULTIWEED**  
ALL PURPOSE LAWN WEEDER



**Amgrow Pty Ltd**  
ABN 81 100 684 786  
82 Christensen Road,  
Stapylton QLD 4207  
**Customer Service Number:**  
1800 063 619  
[www.amgrow.com.au](http://www.amgrow.com.au)