

## Freehand controls over 60 common weeds:

- ✓ Amaranth
- ✓ Annual nettles
- ✓ Annual ryegrass
- ✓ Barnyard grass
- ✓ Bittercress
- ✓ Blackberry nightshade
- ✓ Bladder ketmia
- ✓ Brazilian white eye
- ✓ Button grass
- ✓ Caltrop
- ✓ Chickweed
- ✓ Common heliotrope
- ✓ Common verbena
- ✓ Creeping oxalis
- ✓ Crested goosefoot
- ✓ Crowsfoot grass
- ✓ Crowsweed
- ✓ Cudweed
- ✓ Dandelion
- ✓ Deadnettle
- ✓ Early spring grass
- ✓ Fat hen
- ✓ Fleabane
- ✓ Flickweed
- ✓ Fumitory
- ✓ Giant or Black Pigweed
- ✓ Green fat hen
- ✓ Green summer grass
- ✓ Guinea grass
- ✓ Indian hedge mustard
- ✓ Liverwort
- ✓ Mintweed
- ✓ Mossman River grass
- ✓ Native millet
- ✓ Pale pigeon grass
- ✓ Paspalidium
- ✓ Pennyroyal
- ✓ Pepper grass
- ✓ Peppercress
- ✓ Pigweed
- ✓ Poa Trivialis
- ✓ Prickly lettuce
- ✓ Queensland blue grass
- ✓ Red caustic creeper
- ✓ Red Flinders grass
- ✓ Scarlet pimpernel
- ✓ Scrambling speedwell
- ✓ Shepherd's purse
- ✓ Signal grass
- ✓ Small burr grass
- ✓ Stagger weed
- ✓ Stink grass
- ✓ Stonecrop
- ✓ Subteranneum clover
- ✓ Summer grass
- ✓ Toad rush
- ✓ Turnip weed
- ✓ Weeping love grass
- ✓ White clover
- ✓ Wild hops/Apple of Peru
- ✓ Wild mustard
- ✓ Wild radish
- ✓ Willow Herb
- ✓ Winter grass
- ✓ Wireweed

## Where can I use Freehand?

Freehand herbicide can be used in your pots, plant containers or applied to your garden soil.



Freehand can also be used on warm season turf:

- |                                                                                                    |                                                                                               |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|  Hybrid Couch   |  Kikuyu  |
|  QLD Blue Couch |  Buffalo |
|  Carpet Grass   |  Zoysia  |



Always read the label and follow instructions prior to use  
Customer Service 1800 063 619

# Freehand Herbicide



## You have better things to do than weed!

- Controls over 60 weeds
- For pots, gardens and turf
- Easy to use



Available only at



## Freehand Overview

**Freehand** herbicide introduces a new active ingredient for use in landscape ornamentals - dimethenamid-P - combined with pendimethalin.

This unique combination makes **Freehand** herbicide the perfect tool for pre-emergent weed control of annual grasses, susceptible sedge species and many small-seeded broadleaf weeds.

### Freehand herbicide:

- Combines two active ingredients for a broader range of control.
- Delivers excellent residual control in pots and containers, stopping weeds as they germinate.
- Offers a wide range of plant species tolerance and use sites.
- Provides exceptional rate flexibility.

Its two unique active ingredients, pendimethalin and dimethenamid-P, prevent weeds from growing and multiplying by inhibiting cell growth in seedling shoots and impeding plant cell microtubule assembly in roots.

This powerful herbicide is labelled for the control and suppression of more than 60 of the toughest, most troublesome weeds; promoting higher quality and more marketable plants, and more attractive turf.

## What is pendimethalin and dimethenamid-P?

Pendimethalin is a herbicide of the dinitroaniline class used in pre-emergent and post emergence applications to control annual grasses and certain broadleaf weeds. It inhibits the ability for weeds to germinate and re appear in lawns and gardens.

## Features and Benefits

<b>Broad spectrum weed control</b>	<b>Freehand</b> is a unique combination of two modes of action (Groups D and K) for broader spectrum weed control and resistance management.  <b>Freehand</b> is safe on a broad range of ornamental crops and warm season turfs and provides up to three months of control and suppression of over 60 of the most toughest weeds.
<b>Easy to use</b>	<b>Freehand's</b> granular formulation and excellent particle distribution allows for easy spreading and flexible application rates. <b>Freehand</b> can be applied at 10-20 g/m <sup>2</sup> depending on target weeds.
<b>Excellent residual control</b>	One application of <b>Freehand</b> provides residual control that stops weeds as they germinate for up to three months, giving season long weed control.  <b>Freehand</b> is also very stable on the soil surface and does not need to be watered in immediately. Rainfall or irrigation will move the product to the target site and activate the herbicide maintaining long lasting weed control.



## How and when to apply Freehand Herbicide Rates

### Ornamentals, containers and in ground

Apply 10g per sq metre.

**Freehand** may be applied individually to each pot, or pots can be grouped together and distributed using a granule applicator or gloved hand. After application, ensure granules are brushed or washed off the foliage.



### Turf

10g per sq m or 1kg per 100m.

Ensure area is clean of debris before application. **Freehand** may be applied and distributed using a granule applicator or gloved hand. Oscillating spout or rotary type fertiliser spreaders are recommended for large areas.

Even application is important for good weed control. If using a granule applicator, ensure they are properly calibrated to apply granules evenly.

**Freehand** application should be followed by irrigation or rainfall, before weeds germinate. If **Freehand** is not activated by rainfall or irrigation within 30 days, erratic weed control may result.